

Gravitational Wave Detection Technology Development and Its Contribution to Cosmology

Yiqi Xu

Yunnan Long-Spring International Academy, Kunming, China
Email: xuyiqiapply@outlook.com

How to cite this paper: Xu, Y.Q. (2024) Gravitational Wave Detection Technology Development and Its Contribution to Cosmology. *Journal of Applied Mathematics and Physics*, 12, 3697-3705.
<https://doi.org/10.4236/jamp.2024.1211222>

Received: September 20, 2024
Accepted: November 4, 2024
Published: November 7, 2024

Copyright © 2024 by author(s) and Scientific Research Publishing Inc.
This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).
<http://creativecommons.org/licenses/by/4.0/>



Open Access

Abstract

Gravitational wave detection has ushered in a new era of observing the universe, providing humanity with a novel window for cosmic cognition. This theoretical study systematically traces the developmental trajectory of gravitational wave detection technology and delves into its profound impact on cosmological research. From Einstein's prediction in general relativity to LIGO's groundbreaking discovery, the article meticulously delineates the key theoretical and technological milestones in gravitational wave detection, with particular emphasis on elucidating the principles and evolution of core detection technologies such as laser interferometers. The research thoroughly explores the theoretical application value of gravitational waves in verifying general relativity, studying the physics of compact celestial bodies like black holes and neutron stars, and precisely measuring cosmological parameters. The article postulates that gravitational wave observations may offer new research perspectives for addressing cosmological conundrums such as dark matter, dark energy, and early universe evolution. The study also discusses the scientific prospects of combining gravitational wave observations with electromagnetic waves, neutrinos, and other multi-messenger observations, analyzing the potential value of this multi-messenger astronomy in deepening cosmic cognition. Looking ahead, the article examines cutting-edge concepts such as space-based gravitational wave detectors and predicts potential developmental directions for gravitational wave astronomy. This research not only elucidates the theoretical foundations of gravitational wave detection technology but also provides a comprehensive theoretical framework for understanding the far-reaching impact of gravitational waves on modern cosmology.

Keywords

Gravitational Waves, Detection Technology, Cosmology, Multi-Messenger Astronomy, General Relativity

1. Introduction

The discovery of gravitational waves is one of the most significant breakthroughs in 20th-century physics and astronomy, not only verifying Einstein's prediction in general relativity but also opening a new window for human exploration of the universe [1]. Since Einstein first proposed the concept of gravitational waves in 1916, scientists have made unremitting efforts for nearly a century, finally directly detecting gravitational wave signals on September 14, 2015. This milestone discovery marks the advent of the era of gravitational wave astronomy, providing us with new tools and perspectives for understanding the nature, structure, and evolution of the universe [2]-[6]. The development of gravitational wave detection technology has undergone a long and tortuous process, from the initial resonant bar detectors to today's laser interferometers. Scientists have continuously pushed technological limits and improved detection sensitivity. The success of LIGO (Laser Interferometer Gravitational-Wave Observatory) represents a tremendous leap in this field, capable of detecting weak gravitational wave signals that cause spatial geometric deformations as small as one ten-thousandth of a proton's diameter [8]. With the continuous advancement of detection technology, gravitational wave astronomy is rapidly developing, bringing unprecedented opportunities for cosmological research. Gravitational wave observations can not only help us study the properties and evolution of compact celestial bodies such as black holes and neutron stars but may also provide key clues for solving frontier cosmological problems like dark matter and dark energy. Moreover, the combination of gravitational waves with electromagnetic waves, neutrinos, and other multi-messenger observations is ushering in a new era of multi-messenger astronomy, which will greatly enrich our understanding of the universe. This paper aims to systematically review the developmental history of gravitational wave detection technology, deeply analyze its significant contributions to modern cosmology, and look ahead to the future prospects of gravitational wave astronomy. Through this study, we hope to provide a comprehensive theoretical framework for understanding the crucial role of gravitational waves in cosmological research.

2. The Developmental History of Gravitational Wave Detection Technology

2.1. The Proposal of Gravitational Wave Theory and Early Exploration

The concept of gravitational waves originated from Einstein's general theory of relativity. In 1916, Einstein first predicted the existence of gravitational waves in his groundbreaking paper, stating that accelerating masses would produce ripples in spacetime that propagate outward at the speed of light [7]. This theoretical prediction sparked widespread interest and in-depth research in the scientific community [8]. However, due to the extremely weak nature of gravitational waves, their direct detection was considered impossible for a long time [9]. In the 1950s, Joseph Weber initiated the first attempt in human history to directly detect

gravitational waves. He designed a resonant bar detector, hoping to capture gravitational wave signals by measuring the minute vibrations of a large-mass metal bar [10]. Although Weber's experiments ultimately failed to detect gravitational waves, his pioneering work laid the foundation for subsequent developments in gravitational wave detection technology. In the 1970s, scientists proposed the idea of using laser interferometers to detect gravitational waves, marking a new stage in the development of gravitational wave detection technology. The principle of laser interferometers is to measure the minute changes in distance between two freely suspended test masses caused by the spatial distortion induced by gravitational waves. This technological approach eventually became the mainstream method for modern gravitational wave detection.

2.2. Principles and Evolution of Laser Interferometer Gravitational Wave Detectors

The core principle of laser interferometer gravitational wave detectors is to utilize the design of the Michelson interferometer to detect gravitational waves by measuring the minute differences in the lengths of two perpendicular arms. The core structure of a laser interferometer gravitational wave detector includes a laser source, beam splitter, test masses, light storage arms, and photodetector. The laser beam is split by the beam splitter into two beams, which propagate back and forth in the perpendicular light storage arms. When a gravitational wave passes through, it causes minute changes in the lengths of the two arms, leading to changes in the interference pattern. These changes are captured and analyzed by the photodetector, thus achieving the detection of gravitational waves. This design greatly improves detection sensitivity, making direct observation of gravitational waves possible. The continuous advancement of laser interferometry technology has greatly improved the sensitivity of gravitational wave detection. From the initial prototype machines of a few meters long to today's large-scale detectors of several kilometers, scientists have continuously broken through detection limits by increasing laser power, improving vibration isolation systems, using ultra-high vacuum technology, and other means. The success of LIGO represents the pinnacle of this technology, capable of detecting weak gravitational wave signals that cause spatial geometric deformations as small as one ten-thousandth of a proton's diameter [11]. In addition, scientists have developed various new detection technologies, such as resonant sphere detectors and atom interferometers, to detect gravitational waves in different frequency bands. The development of these technologies has laid the foundation for a more comprehensive gravitational wave observation network in the future.

2.3. Space-Based Gravitational Wave Detection Plans and Future Prospects

With the success of ground-based gravitational wave detectors, scientists have begun to set their sights on a more ambitious goal—space-based gravitational wave detection. Space-based gravitational wave detectors can avoid various interference

sources on Earth and detect lower frequency gravitational waves, thus observing more types of celestial sources. Currently, the most notable space-based gravitational wave detection plan is the European Space Agency's LISA (Laser Interferometer Space Antenna) project. As shown in **Figure 1**, LISA plans to consist of three satellites forming an equilateral triangle array with sides approximately 2.5 million kilometers long, capable of detecting gravitational waves in the frequency range of 0.1 MHz to 0.1 Hz.




Figure 1. Conceptual diagram of the LISA space-based gravitational wave detector.

In addition to LISA, several other space-based gravitational wave detection plans are also in preparation, such as China's "Taiji" and "TianQin" projects. These space detectors will form a full-band gravitational wave observation network together with ground-based detectors, greatly expanding our observational capabilities of the universe. In the future, scientists have also envisioned more advanced detection technologies, such as quantum gravitational wave detectors that utilize quantum entanglement effects to improve detection sensitivity. The development of these cutting-edge technologies indicates that the field of gravitational wave detection still has enormous space for innovation and is expected to bring more breakthrough discoveries in the future [12].

3. Contributions of Gravitational Wave Detection to Cosmology

3.1. Verifying General Relativity and Exploring Strong Gravitational Field Regimes

The direct detection of gravitational waves has provided an unprecedented opportunity to verify Einstein's general theory of relativity. By analyzing the waveform of gravitational wave signals, scientists can precisely measure the propagation speed of gravitational waves and verify the predictions of general relativity regarding the characteristics of gravitational waves. Observational results from the

LIGO and Virgo collaborations show that the deviation of the propagation speed of gravitational waves from the speed of light does not exceed 10^{-15} , a precision far surpassing any previous experiments. Gravitational wave detection can also help us study the behavior of spacetime in strong gravitational field environments. The gravitational wave signals produced during black hole mergers contain rich information that can be used to test the applicability of general relativity under extreme conditions. By comparing observed gravitational wave waveforms with theoretical predictions, scientists can search for possible deviations, thus exploring the limits of general relativity and even discovering new gravitational theories [13]. These studies not only deepen our understanding of the nature of gravity but also provide important clues for exploring more unified physical theories.

3.2. Studying Compact Celestial Body Physics and Cosmic Evolution

Gravitational wave detection provides a completely new means for studying compact celestial bodies such as black holes and neutron stars. By analyzing gravitational wave signals, scientists can precisely measure the mass, spin, and other physical parameters of these celestial bodies, thereby gaining a deeper understanding of their formation and evolution processes. For example, the observation of the GW150914 event revealed the merger process of a pair of black holes with a total mass of about 65 times that of the sun, challenging our understanding of the formation mechanism of stellar-mass black holes. Gravitational wave observations can also help us study the internal structure and equation of state of neutron stars, which is crucial for understanding the properties of ultra-high-density matter. On cosmological scales, gravitational wave detection provides new tools for studying the large-scale structure and evolution of the universe. By observing primordial gravitational waves, scientists hope to directly detect information from the extremely early universe, including the possible inflationary phase of the universe. This will greatly expand our understanding of the early history of the universe and help answer some of the most fundamental cosmological questions [14]. Furthermore, by observing the spatial distribution of a large number of gravitational wave sources, scientists can independently measure cosmological parameters such as the Hubble constant, providing new evidence for resolving some controversial issues in cosmology.

3.3. Exploring Dark Matter and Dark Energy

Gravitational wave detection provides new possibilities for studying dark matter and dark energy, the two biggest mysteries in modern cosmology. Although gravitational waves themselves do not directly interact with dark matter and dark energy, we can indirectly detect the existence and properties of these mysterious substances by observing the distribution and evolution of gravitational wave sources. For example, primordial black holes are a potential candidate for dark matter, and scientists can test this hypothesis by observing merger events of low-mass black holes [6]. In terms of dark energy research, gravitational waves provide

a new type of “standard candle” for measuring the accelerating expansion of the universe. By observing the redshift-distance relationship of a large number of gravitational wave sources, scientists can independently measure cosmological parameters, thus better constraining the properties of dark energy. Moreover, gravitational wave detection may help us discover new gravitational theories, which could provide new perspectives for explaining dark energy. Overall, gravitational wave detection provides a completely new and independent observational means for studying dark matter and dark energy, with the potential to make important contributions to solving these cosmological puzzles in the future.

4. The New Era of Multi-Messenger Astronomy

4.1. Joint Observations of Gravitational Waves and Electromagnetic Waves

The success of gravitational wave detection has ushered in a new era of multi-messenger astronomy, with the most notable being the joint observations of gravitational waves and electromagnetic waves. Until 2015, the two laser interferometer gravitational wave observatories in the United States (**Figure 2**) finally directly detected gravitational waves from the merger of two black holes. On August 17, 2017, scientists first detected the gravitational wave signal GW170817 from a binary neutron star merger, followed by corresponding signals in electromagnetic observations across different wavelengths. This breakthrough discovery marks the true beginning of multi-messenger astronomy, providing us with unprecedented opportunities to comprehensively study the most violent events in the universe. By combining observational data from gravitational waves and electromagnetic waves, scientists can obtain more comprehensive information about celestial events. For example, gravitational wave signals can provide precise information about the mass and distance of merging celestial bodies, while electromagnetic wave observations can help determine the location of events and characteristics of host galaxies. This joint observation not only helps us better understand the physical processes of compact celestial bodies but also provides new methods for measuring cosmological parameters. For instance, by measuring the “standard siren” of gravitational wave events and the corresponding electromagnetic wave redshift, scientists can independently measure the Hubble constant, providing new clues for resolving the “Hubble tension” problem in cosmology.

4.2. Synergy between Gravitational Wave and Neutrino Observations

In addition to electromagnetic waves, neutrino observation is also an important component of multi-messenger astronomy. Neutrinos have extremely strong penetrating power and can carry information from the depths of the universe and the interiors of compact celestial bodies. Combining gravitational wave observations with neutrino observations is expected to reveal some of the most extreme cosmic phenomena. For example, supernova explosions are important celestial



Figure 2. LIGO observatory.

events that simultaneously produce gravitational waves and neutrinos. By simultaneously detecting these two messengers, scientists can gain a more comprehensive understanding of the internal physical processes of supernova explosions, including the dynamics of core collapse and the formation of neutron stars. Furthermore, some hypothetical violent cosmic events, such as gamma-ray bursts or jets from active galactic nuclei, may also simultaneously produce detectable gravitational waves and high-energy neutrinos. This multi-messenger observation provides a unique opportunity to study these high-energy astrophysical processes. Although there are currently no confirmed joint gravitational wave-neutrino detection events, with the continuous improvement in detector sensitivity, such breakthrough discoveries may be realized soon.

4.3. Deepening Cosmic Cognition through Multi-Messenger Observations

The development of multi-messenger astronomy is fundamentally changing the way we understand the universe. By combining different types of observational data, scientists can construct a more comprehensive and in-depth picture of the universe. As shown in **Figure 3**, multi-messenger astronomy combines multiple observational methods such as gravitational waves, electromagnetic waves, and neutrinos, providing us with all-round cosmic observational capabilities. This synergistic observational method not only provides more information but can also mutually verify and complement, greatly improving the reliability and accuracy of observational results. For example, in studying the equation of state of neutron star matter, gravitational wave observations can provide information about the mass and radius of neutron stars, while X-ray observations can provide data on the surface temperature and magnetic field of neutron stars. By combining this information, scientists can better constrain models of the internal structure of neutron stars.

Multi-messenger observations also offer new hope for solving some long-standing cosmological puzzles. For instance, by comparing the propagation




Figure 3. Schematic diagram of multi-messenger observations.

speeds of gravitational waves and electromagnetic waves, scientists can test Lorentz invariance, which is a fundamental assumption of modern physics. Moreover, multi-messenger observations provide multiple independent sources of evidence for studying dark matter and dark energy, helping us better understand these mysterious components of the universe. With the continuous advancement of technology and the addition of more detectors, multi-messenger astronomy will continue to expand our cosmic vision, potentially bringing more unexpected discoveries.

5. Conclusion

The development and successful application of gravitational wave detection technology mark the entry of human exploration of the universe into a new stage. From Einstein's theoretical prediction to LIGO's breakthrough discovery, gravitational wave research has undergone nearly a century of effort, finally opening a new era of gravitational wave astronomy. This achievement not only verifies the core predictions of general relativity but also provides us with a new window for observing the universe. Through gravitational wave detection, we can directly observe the dynamical processes of compact celestial bodies such as black holes and neutron stars, deeply study the physical laws in strong gravitational field environments, and provide new clues for solving cosmological puzzles such as dark matter and dark energy. More importantly, the combination of gravitational wave detection with traditional electromagnetic wave observations and neutrino detection has ushered in a new era of multi-messenger astronomy, greatly expanding the depth and breadth of our cosmic cognition. Looking ahead, with the continuous improvement of ground-based and space-based gravitational wave detector networks and the ongoing innovation of detection technologies, we have reason to expect that gravitational wave astronomy will bring more breakthrough discoveries, potentially fundamentally changing our understanding of the universe. Gravitational wave detection is not only a major achievement in modern physics and astronomy but also represents the triumph of human wisdom and exploratory spirit. It will continue to drive us forward on the path of understanding the

mysteries of the universe.

Conflicts of Interest

The author declares no conflicts of interest regarding the publication of this paper.

References

- [1] Abbott, B.P., Abbott, R., Abbott, T.D., Abernathy, M.R., Acernese, F., Ackley, K., *et al.* (2016) Observation of Gravitational Waves from a Binary Black Hole Merger. *Physical Review Letters*, **116**, Article 061102. <https://doi.org/10.1103/physrevlett.116.061102>
- [2] Abbott, B.P., Abbott, R., Abbott, T.D., Acernese, F., Ackley, K., Adams, C., *et al.* (2017) Multi-Messenger Observations of a Binary Neutron Star Merger. *The Astrophysical Journal Letters*, **848**, L12. <https://doi.org/10.3847/2041-8213/aa91c9>
- [3] Adhikari, R.X. (2014) Gravitational Radiation Detection with Laser Interferometry. *Reviews of Modern Physics*, **86**, 121-151. <https://doi.org/10.1103/revmodphys.86.121>
- [4] Amaro-Seoane, P., Audley, H., Babak, S., Baker, J., Barausse, E., Bender, P., *et al.* (2017) Laser Interferometer Space Antenna. arXiv: 1702.00786. <https://doi.org/10.48550/arXiv.1702.00786>
- [5] Ando, S., Baret, B., Bartos, I., Bouhou, B., Chassande-Mottin, E., Corsi, A., *et al.* (2013) *Colloquium*: Multimessenger Astronomy with Gravitational Waves and High-Energy Neutrinos. *Reviews of Modern Physics*, **85**, 1401-1420. <https://doi.org/10.1103/revmodphys.85.1401>
- [6] Bird, S., Cholis, I., Muñoz, J.B., Ali-Haïmoud, Y., Kamionkowski, M., Kovetz, E.D., *et al.* (2016) Did LIGO Detect Dark Matter? *Physical Review Letters*, **116**, Article 201301. <https://doi.org/10.1103/physrevlett.116.201301>
- [7] Einstein, A. (1916) Näherungsweise Integration der Feldgleichungen der Gravitation. *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, **22**, 688-696.
- [8] Harry, G.M. (2010) Advanced LIGO: The Next Generation of Gravitational Wave Detectors. *Classical and Quantum Gravity*, **27**, Article 084006. <https://doi.org/10.1088/0264-9381/27/8/084006>
- [9] Holz, D.E. and Hughes, S.A. (2005) Using Gravitational-Wave Standard Sirens. *The Astrophysical Journal*, **629**, 15-22. <https://doi.org/10.1086/431341>
- [10] Lattimer, J. and Prakash, M. (2007) Neutron Star Observations: Prognosis for Equation of State Constraints. *Physics Reports*, **442**, 109-165. <https://doi.org/10.1016/j.physrep.2007.02.003>
- [11] Aasi, J., Abbott, B.P., Abbott, R., Abbott, T., Abernathy, M.R., Ackley, K., *et al.* (2015) Advanced Ligo. *Classical and Quantum Gravity*, **32**, Article 074001. <https://doi.org/10.1088/0264-9381/32/7/074001>
- [12] Punturo, M., Abernathy, M., Acernese, F., Allen, B., Andersson, N., Arun, K., *et al.* (2010) The Einstein Telescope: A Third-Generation Gravitational Wave Observatory. *Classical and Quantum Gravity*, **27**, Article 194002. <https://doi.org/10.1088/0264-9381/27/19/194002>
- [13] Yunes, N. and Siemens, X. (2013) Gravitational-Wave Tests of General Relativity with Ground-Based Detectors and Pulsar-Timing Arrays. *Living Reviews in Relativity*, **16**, Article No. 9. <https://doi.org/10.12942/lrr-2013-9>
- [14] Maggiore, M. (2000) Gravitational Wave Experiments and Early Universe Cosmology. *Physics Reports*, **331**, 283-367. [https://doi.org/10.1016/s0370-1573\(99\)00102-7](https://doi.org/10.1016/s0370-1573(99)00102-7)